

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of: Daryl B. Olander et al.	Application No.: 10/789,140
Patent No.: 7,647,564	REQUEST FOR CERTIFICATE OF CORRECTION UNDER 37 CFR § 1.323
Issued: January 12, 2010	

Commissioner for Patents
Office of Patent Publications
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir/Ma'am:

Pursuant to 37 CFR § 1.323, Applicant submits a Certificate of Correction correcting clerical errors or mistakes minor in character in the printed patent. The desired correction is set forth on the enclosed form PTO/SB/44.

These corrections do not involve changes, which would (1) constitute new matter or (2) require reexamination. *In re Arnott*, 19 USPQ 2d 1049, 1052 (Comm'r Pat. 1991).

The errors sought to be corrected were made by:

- ☐ the Patent and Trademark Office. Thus, no fee is required for the Certificate of Correction pursuant to 37 CFR §1.322.
- ☒ Applicant(s) (at least in part). Please charge the fee, as set forth in § 1.20(a), to Deposit Account 150635.

Support for the claim amendments are given in the table below:

Original		Issued Patent		Description of Error
Page	Line	Column	Line	
Page 8 Notice of Allowance and Fees Due (PTOL-85) (08/26/2009)	Claim 58 Lines 17-18 (Examiner's Amendments)	27	18	In Claim 33, delete ""Dispose"stage" and insert - - "Dispose" stage - -, therefor.

Patent No. 7,647,564

Request for Certificate of Correction

Please deduct any additional fees from, or credit any overpayment to, the
Deposit Account 150635.

Please direct all inquiries concerning this request to the undersigned attorney at
Telephone number 408-236-6687.

Respectfully submitted,
MAHAMEDI PARADICE KREISMAN, LLP



Christopher J. Brokaw
Reg. No. 45,620

Date: August 10, 2010

550 South Winchester Boulevard, Ste. 605
San Jose, CA 95128
Telephone: (408) 236-6687
Facsimile: (408) 236-6641

Attachment

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 7,647,564

Page 1 of 1

APPLICATION NO.: 10/789,140

ISSUE DATE : January 12, 2010

INVENTOR(S) : Daryl B. Olander et al.

It is certified that errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On page 2, in column 2, under "Other Publications", line 11, before "10 pages" insert -- 2006 --.

On sheet 8 of 9, in Figure 8, line 4, delete "Portlet" and insert -- Portlet --, therefor.

In column 1, line 51, delete "at.," and insert -- al., --, therefor.

In column 7-8, line 4-5, delete "and or" and insert -- and/or --, therefor.

In column 11, line 9, delete "jspservice" and insert -- jspService --, therefor.

In column 15, line 10, delete "contractor," and insert -- constructor, --, therefor.

In column 20, line 45, delete "anomolies" and insert -- anomalies --, therefor.

In column 27, line 18, in claim 33, delete "'Dispose"stage" and insert -- "Dispose" stage --, therefor.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

Oracle Corporation
Legal (M/S 5op7)
500 Oracle Parkway
Redwood Shores, CA 94065

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2